UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/760,135	01/16/2004	Reiner Hammerich	000005-006700US	7210
	7590 04/01/200 EAD LAW GROUP, PO	EXAMINER		
900 LAFAYET		TSUI, WILSON W		
SUITE 200 SANTA CLARA, CA 95050			ART UNIT	PAPER NUMBER
			2178	
			MAIL DATE	DELIVERY MODE
			04/01/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)	
	10/760,135	HAMMERICH ET AL.	
Office Action Summary	Examiner	Art Unit	
	WILSON TSUI	2178	
The MAILING DATE of this communication ap Period for Reply	ppears on the cover sheet with the	correspondence address	
A SHORTENED STATUTORY PERIOD FOR REP WHICHEVER IS LONGER, FROM THE MAILING I - Extensions of time may be available under the provisions of 37 CFR 1 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory perior Failure to reply within the set or extended period for reply will, by statu. Any reply received by the Office later than three months after the mail earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICATIO 1.136(a). In no event, however, may a reply be tid d will apply and will expire SIX (6) MONTHS fron the, cause the application to become ABANDONI	N. mely filed n the mailing date of this communication. ED (35 U.S.C. § 133).	
Status			
Responsive to communication(s) filed on 16. 2a) This action is FINAL . 2b) Th 3) Since this application is in condition for allow closed in accordance with the practice under	is action is non-final. ance except for formal matters, pr		
Disposition of Claims			
4) Claim(s) 1-24 is/are pending in the applicatio 4a) Of the above claim(s) is/are withdr 5) Claim(s) is/are allowed. 6) Claim(s) 1-24 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/ Application Papers 9) The specification is objected to by the Examin	awn from consideration. /or election requirement. ner.		
10) The drawing(s) filed on is/are: a) according a depth of the	e drawing(s) be held in abeyance. Section is required if the drawing(s) is ob	ee 37 CFR 1.85(a). pjected to. See 37 CFR 1.121(d).	
Priority under 35 U.S.C. § 119			
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority application from the International Bure * See the attached detailed Office action for a list	nts have been received. nts have been received in Applicatiority documents have been receivau (PCT Rule 17.2(a)).	tion No red in this National Stage	
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 20081215.	4) Interview Summary Paper No(s)/Mail D 5) Notice of Informal 6) Other:	oate	

Application/Control Number: 10/760,135 Page 2

Art Unit: 2178

DETAILED ACTION

1. This non-final action is in response to the RCE filed on: 01/16/09, and IDS filed on: 12/15/08.

- 2. Claims 1, 13, and 16 are independent claims. Claims 1, 13, and 16 are amended. Claims 21-24 are new. Thus, claims 1-24 are pending.
- 3. Claims 1-3, 5, 6, 9-13, and 15-20 remain rejected and claims 23, and 24 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sheshadri, in view of Bahrs and further in view of Prosise.
- 4. Claim 4 remains rejected under 35 U.S.C. 103(a) as being unpatentable over Sheshadri, Bahrs, Prosise, and in further view of Leech.
- 5. Claim 7 remains rejected under 35 U.S.C. 103(a) as being unpatentable over Sheshadri, Bahrs, and Prosise, in further view of Lindhorst et al.
- 6. Claims 8, 14, and 17 remains rejected and claims 21 and 22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sheard et al and Goodwill in further view of Jeyaraman.

Information Disclosure Statement

7. The information disclosure statement (IDS) submitted on 12/15/08 is being considered by the examiner.

Priority

Application/Control Number: 10/760,135 Page 3

Art Unit: 2178

8. Acknowledgment is made of applicant's claim for foreign priority under 35 U.S.C. 119(a)-(d).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

9. Claims 1-3, 5, 6, 9-13, and 15-20 remain rejected and claims 23, and 24 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sheshadri ("Understanding JavaServer Pages Model 2 architecture", published: December 1999, pages 1-14), in view of Bahrs (US Patent: 6,654,932 B1, issued: Nov. 25, 2003, filed: Oct. 29, 1999) and further in view of Prosise ("ASP.NET: Web Forms Let You Drag and Drop Your Way to Powerful Apps", pages 1-28).

With regards to claim 1 Seshadri teaches:

Providing a server-side framework to an application (Figure 2: whereas a server-side frame work comprising a model/javabean, and view/jsp are provided to the application/servlet) the server side framework being external to the application (Figure 2: whereas, the application, is represented by the servlet, and the JSP (controller) and Javabean framework are server side elements that are external to the JSP/controller). The frame work supporting predefined data types, each data type having a predefined

rule (listing 3, and 4: whereas, the framework supports predefined datatypes, such as string or float datatypes, in a CD object. Each datatype includes an instruction/rule, for the datatype(s) to be initialized with values).

Receiving from an application a request for an object (Listing 3: whereas a getcd function/method is called to request a CD object running on a server), the request indicating one of the multiple predefined data types (P9-L7: whereas, the getCD function/method therefore further indicates one of a multiple predefined data types, such as strings or floats for initialization), the object storing a value of the indicated data type, the value being stored in the object in a process format (P9-L7, P9-1: whereas, the setPrice function casts the price data type (in transfer string format), to a process float format), and stored in a CD object as shown in Listing 4).

Creating the object in response to the request (P9-L17: whereas a CD object is created in response to the request).

Generating a markup language page that includes the value in the transfer format read from the object (Listing 2: whereas the values in a CD object are displayed, by inserting the CD attributes in the transfer format/string/ascii into a web page template)

Sending the markup language page to a browser on a client (Figure 4: whereas a markup language page is displayed to a browser on a client).

Receiving a user supplied value in the transfer format from the browser (Listing 3, page 8: whereas a new value is received in the transfer format/string, based on the "ADD" action received).

However, Seshadri does not teach

The object storing a *default* value, ... the *default* value being stored in the object *in a transfer format*, Generating a markup language page that includes the *default* value ..., Storing in the object the user supplied value in the transfer format, The object automatically converting the user supplied value from the transfer format to the process format, the object automatically checking the compliance of the user supplied value in the process format with the predefined rule, and if the user supplied value in the process format complies with the predefined rule, forwarding the user supplied value in the process format from the object to the application and otherwise automatically resending the markup language page to the browser with the user supplied value in the transfer format.

Yet, even though Seshadri does not teach *the* object, Seshadri still teaches:

 The value being stored in an object in a transfer format (page 7 and 8 of Sheshadri: whereas, the 'shoppingservlet' class is instantiated into a 'shoppingservlet' object at run-time. The 'shoppingservlet' object storing the value of a token in string format via the 'req' object.)

Storing in the object the user supplied value in the transfer format (page 7, and 8 of Sheshadri: whereas the 'shoppingservlet' object storing the value of a token in string format via the 'req' object.), The object automatically converting the user supplied value from the transfer format to the process format (Listing 4: whereas, the object automatically stores the float/process format for a price (which was a string in transfer format).

It would have been obvious to one of the ordinary skill in the art at the time of the invention to have modified Sheshadri's CD object, such that the object can store and convert transfer / process format data, as also taught by Sheshadri. The combination would have allowed Sheshadri to have allowed "the processing for all actions carried out within "the [application] (Sheshadri, page 7)).

However, although Seshadri teaches generating the markup language page using the object which stores a value, Sheshadri does not expressly teach the object stores a default value, the object automatically checking the compliance of the user supplied value in the process format with the predefined rule, and if the data complies with the predefined rule, forwarding the user supplied value in the process format from the object to the application and otherwise automatically resending the markup language page to the browser with the user supplied value in the transfer format.

Bahrs et al teaches the object automatically checking the compliance of the user supplied value in the process format with the predefined rule (Abstract: whereas a validation object automatically checks the compliance of a new value in a process format with a predefined rule by checking against particular criteria (Fig 87: such as through validation rules)). And if the user defined data complies with a predefined rule, (Fig 86: whereas checking includes whether data complies with a predefined rule), forwarding the user supplied value in a process format to the application (column 5, lines 8-30, column 16, lines 1-20: whereas, the new value from the user input (such as text data from a text field) is sent/forwarded to an appropriate application) ... otherwise automatically generating an exception/alternative-action (Fig 86).

It would have been obvious to one of the ordinary skill in the art at the time of the invention to have modified Sheshadri's object such that the object would have validated input data, as and also such that the object would have further included the ability to forwarded a new value to application, taught by Bahrs et al. The combination of Sheshadri and Bahrs et al would have allowed Sheshadri to have in "response to user input, [made] a call to a validation object" (Bahrs et al, column 3, lines 55-63). However, although the combination of Sheshadri and Bahrs et al teach otherwise automatically the combination of Sheshadri and Bahrs et al do not expressly teach otherwise automatically resending the markup language page to the browser with the user defined value in the transfer format.

Prosise teaches The object storing a *default* value, ... the *default* value being stored in the object *in a transfer format*, Generating a markup language page that includes the *default* value ... [and] otherwise automatically resending the markup language page to the browser with the user supplied data in the transfer format, wherein the application processes the data in the processes the data in the process format (pages 4-7: whereas, default value is null, and using user supplied data is posted back to the user.).

It would have been obvious to one of the ordinary skill in the art at the time of the invention to have modified Sheshadri and Bahrs et al's object and compliance checking methods, such that the object stores a default value; and upon receiving user supplied data, a markup language page with user supplied data, is sent back to the browser, as taught by Prosise. The combination would have allowed Sheshadri, Bahrs et al, and

Prosise to have to have "the values entered into text fields don't disappear [upon postback]" (Prosise: page 4).

With regards to claim 2, which depends on claim 1, Sheshadri teaches wherein the transfer format is a string format, as similarly explained in the rejection for claim 1, and is rejected under similar rationale.

With regards to claim 3, which depends on claim 1, the combination of Sheshadri, Bahrs et al, and Prosise, *the predefined rule*, as similarly explained in the rejection for claim 1. Additionally, Bahrs et al teaches *the predefined rule*, *is internal to the object*, (as explained in the rejection for claim 1), since it is the object that performs the validating, not a separate/external object/entitity.

With regards to claim 5, which depends on claim 1, Sheshadri similarly teaches wherein the operations, as similarly explained in the rejection for claim 1, and is rejected under similar rationale. However, Sheshadri does not expressly teach the operations further comprise storing state information in permanent memory and restoring the object by using the state information.

Yet, Bahrs et al teaches wherein the operations *further comprise storing state information in permanent memory and restoring the object by using the state information* (column 59, lines 25-30: whereas, operations for storing state information is

Page 9

implemented through serialization, and for restoring state information is implemented through deserialization).

It would have been obvious to one of the ordinary skill in the art at the time of the invention to have modified Sheshadri, Bahrs et al, and Prosise's data system, such that state information is stored, and restored for an object, as also taught by Bahrs et al. The combination of Sheshadri, Bahrs et al, and Prosise would have allowed Sheshadri to have "returned a previously created object, or otherwise created a new object, and remembering the object" (Bahrs et al, column 29, lines: 40-54).

With regards to claim 6, which depends on claim 5, the combination of Sheshadri, Bahrs et al, and Prosise teach *wherein the restoring*, as similarly explained in the rejection for claim 5, and is rejected under similar rationale. Additionally, the restoring that is taught by Bahrs et al (as explained in the rejection for claim 5), further includes the restoring *is delayed until transferring* (column 59, lines 25-39: whereas, the restoring is performed until after the object is transferred to the other end).

With regards to claim 9, which depends on claim 1, Sheshadri teaches wherein the object is provided by the software framework running on a server, as similarly explained in the rejection for claim 1, and is rejected under similar rationale.

With regards to claim 10, which depends on claim 1, Sheshadri, Bahrs et al, and Prosise teach *wherein the instructions*, as similarly explained in the rejection for claim 1,

and is rejected under similar rationale. Additionally, Bahrs et al further teaches that the data validation system (explained in the rejection for claim 1), further includes the option that the data validation system do[es] not need to be in a particular programming language (column 66, lines 50-67: whereas, various types of programming languages can be used to implement the data system of Bahrs et al)

With regards to claim 11, which depends on claim 1, Sheshadri, Bahrs et al, and Prosise teach *wherein the operations*, as similarly explained in the rejection for claim 1, and is rejected under similar rationale. Additionally, Bahrs et al, further teaches the operations (as explained in the rejection for claim 1) *do not require any particular flow logic* (column 23, lines 40-67: whereas threading support is implemented, such that events/listeners operate in a concurrent manner, without a strict/sequential order)

With regards to claim 12, which depends on claim 1, Sheshadri, Bahrs et al, and Prosise teach *wherein the operations*, as similarly explained in the rejection for claim 1, and is rejected under similar rationale. Additionally Bahrs et al's validation/error-handling scheme, as also explained in the rejection for claim 1, further teaches the validation scheme(s) *do not assume a particular error handling scheme* (whereas, there is no particular single set validation rule, but a plurality of rules that can be set)

With regards to claim 13, for a method performing a similar method as the product in claim 1, is rejected under the same rationale.

With regards to claim 15, which depends on claim 13, for a method performing a similar method as the product in claim 9, is rejected under the same rationale.

With regards to claim 16, for an apparatus performing a similar method as the product in claim 1, is rejected under the same rationale.

With regards to claim 18, which depends on claim 16, for an apparatus performing a similar method as the product in claim 9, is rejected under the same rationale.

With regards to claim 19, which depends on claim 1, the combination of Sheshadri, Bahrs et al, and Prosise teach *wherein the default is a null value*, as similarly explained in the rejection for claim 1, and is rejected under similar rationale.

With regards to claim 20, which depends on claim 13, the combination of Sheshadri, Bahrs et al, and Prosise teach *wherein the default is a null value*, as similarly explained in the rejection for claim 1, and is rejected under similar rationale.

With regards to claim 23, which depends on claim 1, the combination of Sheshadri, Bahrs et al, and Prosise teach *applying an input mask to the markup page* sent to the browser on the client, as similarly explained in the rejection for claim 1 (since

markup language page with user supplied data (the user supplied data used as a chosen/masked data), is sent back to the browser, as opposed to the input showing a default value), and is rejected under similar rationale.

With regards to claim 24, which depends on claim 23, the combination of Sheshadri, Bahrs et al, and Prosise teach *resending the markup language page to the browser with the user-supplied value in the transfer format includes filling the input mask with the user-supplied value in the transfer format,* as similarly explained in the rejection for claim 23, and is rejected under similar rationale.

10. Claim 4 remains rejected under 35 U.S.C. 103(a) as being unpatentable over Sheshadri ("Understanding JavaServer Pages Model 2 architecture", published: December 1999, pages 1-14), Bahrs (US Patent: 6,654,932 B1, issued: Nov. 25, 2003, filed: Oct. 29, 1999), Prosise ("ASP.NET: Web Forms Let You Drag and Drop Your Way to Powerful Apps", pages 1-28), and in further view of Leech (4GuysFromRolla.com, published: December 1, 1999, pages 1-5)

With regards to claim 4, which depends on claim 1, the combination of Sheshadri, Bahrs et al, and Prosise teach *the predefined rule* and *the* object, as explained in the rejection for claim 1, and is rejected under the same rationale.

Additionally, Leech teaches the predefined rule (as explained in the rejection for claim 1), further includes wherein *the predefined rule is external to the object* (P2-P3:

whereas, the validation rules are enforced at the client side, which is external to the object).

It would have been obvious to one of the ordinary skill in the art at the time of the invention to have modified Sheshadri, Bahrs et al, and Prosise's data system, such that it includes the ability to enforce predefined rules external to the object, as taught by Leech. The combination of Sheshadri, Bahrs et al, Prosise, and Leech would have allowed Sheshadri's system to have further included the ability let "the user know immediately that something is wrong" (Leech, P3, without having to send the page/form).

11. Claim 7 remains rejected under 35 U.S.C. 103(a) as being unpatentable over Sheshadri ("Understanding JavaServer Pages Model 2 architecture", published: December 1999, pages 1-14), Bahrs (US Patent: 6,654,932 B1, issued: Nov. 25, 2003, filed: Oct. 29, 1999), and Prosise ("ASP.NET: Web Forms Let You Drag and Drop Your Way to Powerful Apps", pages 1-28), in further view of Lindhorst et al (US Patent: 6,981,215 B1, issued: Dec. 27, 2005, filed: Dec. 31, 1998).

With regards to claim 7, which depends on claim 5, Sheshadri, Bahrs et al, and Leech teach storing state information in permanent memory, as explained in claim 5, and is rejected under the same rationale. However, the combination of Sheshadri, Bahrs et al, and Leech do not teach the storing of state information in permanent memory is performed by storing in hidden input fields in the page

Page 14

Lindhorst et al teaches the storing of state information in permanent memory is performed by storing in hidden input fields in the page (column 14, lines 39-49: whereas, storage/state information is stored in hidden fields in a page). It would have been obvious to one of the ordinary skill in the art at the time of the invention to have modified Sheshadri, Bahrs et al, and Prosise's system for storing state information to further included the ability to store the state information in hidden input fields in a page as taught by Lindhorst et al. The combination of Sheshadri, Bahrs et al, Prosise, and Lindhorst et al would have allowed Sheshadri to have "simplified the programmer's task of navigating between pages" (Lindhorst et al, column 6, lines 65-67).

12. Claims 8, 14, and 17 remains rejected and claims 21 and 22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sheard et al (US Patent: 6,453,356 B1, issued: Sep. 17, 2002, filed: Apr. 15, 1998), and Goodwill ("Pure Java Server Pages", published: June 08, 2000, Pages: 1-4, 1a, 2a, 3a, 4a, and G1) in further view of Jeyaraman (US Patent: 6,311,187 B1, issued: Oct. 30, 2001, filed: Dec. 29, 1998).

With regards to claim 8, which depends on claim 1, With regards to claim 8, which depends on claim 1, the combination of Sheshadri, Bahrs et al, and Prosise teach wherein resending the markup language page to the client, as similarly explained in the rejection for claim 1, and is rejected under similar rationale.

However, Sheshadri, Bahrs et al, and Prosise do not teach Identifying a portion of the markup language page that has changed since the markup language page was previously sent; and resending only the portion of the markup language page that has changed.

Jeyaraman teaches resending the markup language page to the client includes: identifying a portion of the markup language page that has changed since the markup language page was previously sent (Abstract: whereas, the identifying includes "determining the differences between the current version of the data at the server and an older copy of the data at the client"); and resending only the portion of the markup language page that has changed (Abstract: whereas, the resending includes "using the differences to construct an update for the copy of the data, which may include node insertion and node deletion operations for hierarchically organized nodes in the data; and sending the update to the client where the update is applied to the copy of the data to produce an updated copy of the data").

It would have been obvious to one of the ordinary skill in the art at the time of the invention to have modified Sheshadri, Bahrs et al, and Prosise's data persistence/state system to further have included the ability to propagate changes since the markup language page has been sent to the client, as taught by Jeyaraman. The combination of Sheshadri, Bahrs et al, Prosise, and Jeyaraman would have allowed Sheshadri's system to have "updated copies of hierarchically structured data" (Jeyaraman, column 1, lines 62-64).

With regards to claim 14, which depends on claim 13, for a method performing a similar method as the product of claim 8, is rejected under the same rationale.

With regards to claim 17, which depends on claim 16, for an apparatus performing a similar method as the product of claim 8, is rejected under the same rationale.

With regards to claim 21, which depends on claim 13, for a method that is similar to the method of claim 8 (whereas since the changed portion is resent, then a write-out/sending action is performed), and is rejected under similar rationale.

With regards to claim 22, which depends on claim 21, the combination of Jeyaraman, Bahrs et al, Prosise, and Jeyaraman teach the writer function, and a first information stream contains information associated with the portion of the markup language page that has changed, as similarly explained in the rejection for claim 8, and is rejected under similar rationale.

Furthermore, Jeyaraman's writing function that was disclosed in claim 8, further includes a second information stream [which] contains information not associated with the portion of the markup language page that as changed, and wherein resending only the portion of the markup language page that has changed includes the second information stream (Abstract, Fig 5: whereas information for an update includes tree/hierarchical data not associated with the actual value of the portion of the markup

language page that has changed, but rather associated with tree operations, when sending a constructed update).

Response to Arguments

- 13. Applicant's arguments filed 01/16/09 have been fully considered but they are not persuasive.
- 14. The applicant's arguments regarding the addition of new claims 21-24, and the amendments to 1, 13, 16 resulting in the application in condition for allowance is not persuasive, as no specific argument/reasoning is provided to explain how the amendments make the application in condition for allowance.
- 15. The Examiner appreciates the applicant's effort to expedite the application, and would like to invite the applicant for an interview, to discuss items that could possibly expedite application for allowance.

Conclusion

16. Any inquiry concerning this communication or earlier communications from the examiner should be directed to WILSON TSUI whose telephone number is (571)272-7596. The examiner can normally be reached on Monday - Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stephen Hong can be reached on (571) 272-4124. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/760,135 Page 18

Art Unit: 2178

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/CESAR B PAULA/ Primary Examiner, Art Unit 2178

/Wilson Tsui/ Patent Examiner Art Unit: 2178 March 30, 2009